
F26 15A
F31 7.5A
F31 7.5A
SLS
SLS
WEG
CLS
F50 30A
X64
A84
X65
X52
B41
R26
B18
S87
B150
B26
P98601

Meriva, model year 2005

Systems

ENY17DT Engine Y17DT, HDRC

Components

A84	Control unit - Engine	B150	Sensor - Boost pressure
B18	Sensor - Pressure, air conditioning	R26	Filter heating
B26	Sensor - Atmospheric pressure	S87	Switch - Oil pressure
B41	Sensor - Engine oil level		

Connectors

X52	Engine & Battery positive	X65	Engine & Control unit - Engine X65
X64	Body front & Control unit - Engine X64		

Grounding Points

8	Chassis	12	Engine

Abbreviations

7.5A	7.5 Ampere	EPS	Electrical power steering
15	Ignition voltage	F26	Fuse F26
15A	15 Ampere	F31	Fuse F31
15A.	Ignition voltage (15A)	F50	Fuse F50
30	Constant voltage	IMO	Immobiliser
30A	30 Ampere	MK	Engine cooling
AC	Air conditioning	SLS	Stop lamp switch
BCM	Body control module	WEG	Vehicle speed signal
CLS	Clutch switch		

Color codes

BK	Black	BNYE	Brown-Yellow
BKWH	Black-White	BUGN	Blue-Green
BKYE	Black-Yellow	BURD	Blue-Red
BN	Brown	GN	Green
BNBK	Brown-Black	GNBN	Green-Brown
BNBU	Brown-Blue	GY	Gray
BNRD	Brown-Red	RD	Red

BNVT	Brown-Violet	WH	White
BNWH	Brown-White	YE	Yellow